

Page 1 of 1

All amounts are calculated in domestic currency.

All Vendors	PO ID PO30112	All Receipt Dates	All Line Item Types

Total Received Quantity:
Total Qty to Inspect (PO U/M):
Total Reject Quantity:
Total Receipt Value:
Total Balance Due Quantity:



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE


Page 1 of 1


Shipment No: 2764220

Ship From: A. M. Castle & Co. TORONTO - CASTLE METALS 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7	Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	Ship To: DART AEROS.HAWKESBURY.O N.CAN 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped 21-OCT-2015	F.O.B. ORIGIN	Freight Terms Prepaid	Carrier MANITOULIN
			BOL No 2764220-2

Shipment Details


Order No 4099231	Line No 1	Item No 21246	Description 3.5000.RD.7075.T651.ALUMINUM.CF.144.0000 SPECIFICATIONS: AMS-QQ-A-225/9 Email P/s and certs to: clavoie@dartaero.com
Purchase Order No 30112	Part Number	Ordered Qty 86.00 IN	Invoice Qty 86.0000 IN
Details ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX: HEAT #S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS			

Delivery No. 120217723	Mill KAISER ALUMINUM	Heat Number 	Mech Id PCS	Width (IN)	Length (IN) 86.0000	Shipped Qty(LBS) 83.4200
----------------------------------	-----------------------------------	---	-----------------------	-------------------	-------------------------------	------------------------------------

<p>These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law is prohibited.</p> <p>We hereby certify that the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.</p> <p>Reviewed by Authorized Castle Metals Representative:  -Date: OCT 21 2015 Name: JOE TORRES</p>						
--	--	--	--	--	--	--

KAISER ALUMINUM FABRICATED PRODUCTS

Tennalum
309 Industrial Drive
Jackson, TN 38301
731-423-2811



CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

Miscellaneous Notes

Made in USA

This material was melted and manufactured in the USA. Mercury is not a normal contaminant in aluminum alloys. Neither mercury nor any of its compounds were utilized by Kaiser Aluminum in the manufacture of this material. AS9100C:2009 The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

This material meets the requirements of (cold finished) T6 temper, AMS 4122L and QQ-A-225/92 (CANCELLED). NAFTA - YES. Material complies with FAR BAA (FAR 52.225-1, Buy American Act-Supplies), DFARS BAA (DFARS 252.225-7001 Buy American Act & Bal of Payments Prog), and FAR TAA (FAR 52.225-5 Trade Agreements). No weld repair. This material is RoHS 2 compliant.

Castle Metals

HEAT NUMBER 10054094
MECHANICAL ID _____
ITEM CODE 21246
LOT NUMBER _____
PO NUMBER 346729
RECEIPT DATE 8-10-15
SUPPLIER Kaiser
SPECIFICATION _____
LCS _____
COMMENT _____
APPROVED [Signature]

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ("Kaiser") hereby certifies that the metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

John Bennkamp, Quality Manager

John Bennkamp


Plant Serial: 210656

Kaiser Order Number: 705946

Line Item: 1

KAISER ALUMINUM FABRICATED PRODUCTS

Tennalum
309 Industrial Drive
Jackson, TN 38301
731-423-2811



CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CUSTOMER PO NUMBER 346729-1		CUSTOMER PART NUMBER 21246		PRODUCT DESCRIPTION Cold Finished Round	
KAISER ORDER NUMBER 705946	LINE ITEM 1	SHIP DATE 08/03/2015	ALLOY 7075	TEMPER T651	
WEIGHT SHIPPED 1967 lbs.	QUANTITY 14 pcs.	B/L NUMBER 38574	DIAM/DIA/THKNS. 3.500 in.	WIDTH 0.000 in.	LENGTH 144.0 in.
SHIP TO A M Castle & Co 3400 No. Wolf Road Franklin Park, IL 60131 USA			SOLD TO A M Castle & Co 1420 Kensington Road Suite 220 Oak Brook, IL 60523 USA		

Test Code: 1000 AC

Actual Physical Properties

Lot Number	LONG. UTS ksi	LONG. YTS ksi	LONG. ELONG. %
10054094	90.7	72.5	16.0

Chemical Composition, WT. % (Aluminum Remainder)

	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	OTHERS EACH	OTHERS TOTAL	Lot
Actual	0.14	0.28	1.4	0.03	2.7	0.19	5.7	0.03			10054094
Max	0.40	0.50	2.0	0.20	2.9	0.28	6.1	0.20	0.05	0.15	
Min			1.2		2.1	0.13	5.1				

Specifications

Standard: ISO 9001, ASTM B211-12, AMS 4123B, AMS-QQ-A-223/9A, AMS 4123L Non-Standard:
A97075_02_R17

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ("Kaiser") hereby certifies that the metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

John Rennekamp, Quality Manager

Plant Serial: 219656

Kaiser Order Number: 705946

Line Item: 1



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Shipment No: 2764220

Ship From: A. M. Castle & Co. TORONTO - CASTLE METALS 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Ship To: DART AEROS. HAWKESBURY, O N, CAN 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped 21-OCT-2015	F.O.B. ORIGIN	Freight Terms Prepaid		Carrier MANTOULIN	BOL No 2764220-2

Shipment Details Final Destination Branch - TOR

Order No 4099231	Line No 2	Item No 5062	Description 0.7500, 2.5000, FLAT 304, STAINLESS, HR, ANN PICKLE, 132.0000-156.0000 SPECIFICATIONS: ASTM A276 Email P/s and certs to: clavoie@darlaero.com		
Purchase Order No 30112	Part Number		Ordered Qty 12.00 FT	Invoice Qty 12.2500 FT	
Details ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX: HEAT #S Email P/s and certs to: clavoie@darlaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS					
Delivery No. 120218153	Mill VALBRUNA CORPORATION	Heat Number 	Mech Id 1	Width (IN)	Length (IN) 147.0000
			PCS		Shipped Qty(LBS) 82.0000

8015-10-26

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, require a proper license. Diversion contrary to US law is prohibited.

We hereby certify the material covered by this certificate conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material. All items for defective material are marked unless made in writing to A. M. Castle & Co. within 60 days of the shipment. Material cut to the customer's specifications forming a part of the description first reports are on file subject to examination. All claims for defective material are waived unless made in writing to A. M. Castle & Co. within 60 days of the shipment. Material cut to the customer's specifications forming a part of the description cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative

OCT 21 2015

100g TOR

These commodities, technology or software are exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.

Acciaierie Valbruna S.p.A.



CERTIFICATO DI COLLAUDO
ABNAHMEPRUEFZEUGNIS
INSPECTION CERTIFICATE
CERTIFICAT DE RECEPTION
EN 10204 (2004) , 3.1

QUALITY MANAGEMENT SYSTEM CERTIFIED BY LLOYD'S REGISTER

36100 VICENZA (Italia) - Viale della scienza, 25 z.l.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4
Telephone number : 0039 (0) 444968211

Clientèle / Kunden / Purchases Client
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801-FORT WAYNE, IN 46801-US

Produttore: ACCIAIERIE VALBRUNA S.P.A.
Hersteller / Manufacturer

Stato di fornitura: Hot rolled Descaled Annealed Hot rolled
Lieferungszustand: Delivery state: Hot rolled

Products

Avviso di Spedizione: D-VI14016855
Lieferanten- und Packungsbezeichnung

Ordine nr: 38916 271712 CASTLE
Bestell- / Auftragsnummer

Tipo di Elaborazione: E+AOD
Erstellungszustand / Herstellungszustand / Materialzustand

Certificato nr: MEST518942/2014/
Prüfung / Test / VE / Lab

Conferma ordine nr: E114002934
Werk Auftrags Ref. nr.

Marchio di Fabbrica:
Zeichen des Lieferanten
Trade mark
Signe de l'usine productrice

Partenza del Collaudatore:
Startzeitpunkt des Werkstättensachverständigen
Inspector / starting Person on the factory



Castle Metals

HEAT NUMBER 262800
MECHANICAL RT ---
ITEM NUMBER 5062
LOT NUMBER ---
POSITION 271712
RECHIN DATE 7-8-14
SUPPLIER Valbruna
SPECIFICATION ---
LCS ---
COMMENT ---
APPROVED [Signature]

Vicenza, 16/05/14

vicenza
N. 1000 1000

Il collaudatore di stabilimento: der Werkstättensachverständiger / Works inspector / L'agent d'usine

M. Rizzotto

Pagina - 2 di 2

Acciaierie Valbruna S.p.A.



CERTIFICATO DI COLLAUDO
ABNAHMEPRUEFZEUGNIS
INSPECTION CERTIFICATE
CERTIFICAT DE RECEPTION
EN 10204 (2004), 3.1

35100 VICENZA (Italia) - Viale della scienza, 25 z.l.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4
Telephone number : 0039 (0) 444968211

QUALITY MANAGEMENT SYSTEM CERTIFIED BY LLOYD'S REGISTER

Cliente / Kunden / Clienti:
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801-FORT WAYNE, IN 46801-US

Avviso di Spedizione: D-VI14016855
Lieferungsanweisung: H981

Certificato nr: MEST518942/2014/
Prüfung/Zeugnis:

Conferma ordine nr: E114002934
Werkst. Order/Nr:

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**
Hersteller/Manufacturer/Produktion:

Ordine nr: 38916 271712 CASTLE
Bestell-Nr./order/Commande:

Marchio di Fabbrica:
Zeichen des Lieferanten:
Trade mark:
Signe de l'usine: production



Stato di fornitura: Hot rolled Descalped Annealed Hot rolled
Lieferzustand: Delivery: heiss/alt. de. Abnahme

Tipo di Elaborazione: E+AOD
Erweiterungspunkt/Erweiterungspunkt/Modifikation

Punzione del Collaudatore:
Stempel des Werkstoffverständigen:
Inspector's stamp/Pointeur du Collaudateur



Specifiche:
Anforderungen / Prescriptions / Engagements

3304-31 37 304 A
ASTM A262 2010, PRACTICE E

AMS-QQ-S-763 B 304 A
ASTM A276 2013 S30400 A

ASME SA479 2013 S30400 A (2)
ASTM A479 2013A S30400 A

(0) SECTION II P.T.A 2013 EDITION

Qualità: T-304 #5062
Werkstoff/Qualitätsnummer:

Marca: AISI		Tolleranza: ASTM A484-13a TABLE 5		Punzonatura: 304					
Pos. nr. Pos. nr. Nr. de position		Oggetto Description Produit désigné Description du produit		Dimensioni - In Abmessungen Dimensions Dimension		Lunghezza - In Länge Length Longueur		Colata Schmelze Melt Craque	
0010		Flat		2,5000 x 0,7500		144 / 153		262800	

TEST ALLO STATO DI FORNITURA									
Test on delivery condition Prüfung auf Lieferbedingung Produkt test à l'état de livraison Prueba sobre el material así como entregado									
TEST	Prova/Prüfung Specimen/Proben Länge/Length mm	Temperatura °F	Prova Seizgen Temperatur °F	Snervamento Streckgrenze Rp 0.2% k.s.i.	Snervamento Streckgrenze Rp 0.2% k.s.i.	Resistenza Zugfestigkeit Rm k.s.i.	Allungamento Bruchdehnung E 4d %	Strizione Bruchdehnung RA %	Durezza Härte HB
Valori richiesti: Anforderungen: Vorgaben:	min max			30		75 115	40	50	
A	12,5	58	L	45		91	51	70	185

TEST	min	max
A Grain size for ASTM E112		6

1: Lieferbedingung 2: 1-3: Lieferbedingung 3: Lieferbedingung

Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata Schmelze/Craque	min max 0,020	1,00	2,00	18,00 20,00	1,00	1,00	0,00 10,50	0,045	0,030	0,100						
	C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	P %	S %	N %						
262800	0,020	0,39	1,54	18,33	0,59	0,42	8,13	0,031	0,024	0,100						

Annealing temperature: 1940°F for 1 h/water.
Intergranular corrosion test per ASTM A262 pract. E: OK.
Absence of cracks at 20 x magnification after bend test.
Material is OFARS Compliant

Sono state soddisfatte tutte le condizioni richieste
Die gezeigten Anforderungen sind E. Anlage OK
The material has been furnished in accordance with the requirements
Le matériel a été livré conforme aux exigences

Controllo anfrimopulanza: OK
Verpackungspulanz: OK
Anfrimopulanz: OK
Controllo anfrimopulanza: OK

Controllo visivo e dimensionale, soddisfa le esigenze
Bauweise und Ausmessung ohne Beanstandung
Visual inspection and dimensional checks satisfactory
Controllo visivo e dimensionale, soddisfa le esigenze

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination
We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.
The Quality Management System is Certified acc. Pressure Equipment Directive (97/23/EC) Annex 1 s. 4.3 by TÜV and LLOYD'S
Any act of tampering, modification, alteration, counterfeiting and/or falsification under any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.
The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the

Vicenza, 16/05/14 vcc002 (Mod. MCE7)	Il collaudatore di stabilimento / der Werkstoffverständiger / Works inspector / L'agent d'usage M. Rizzotto	Pagina - 1 di 2
--	--	-----------------

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M 7075 T6 R 3.500
 DATE: 15-10-27

PO / BATCH NO.: M133450 / PO#30112

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 1 78
 QUANTITY INSPECTED: 1 78
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 3.500
 THICKNESS RECEIVED: 3.500
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="checkbox"/> N	
CORRECT FINISH	<input checked="" type="checkbox"/> Y	N	
CORROSION	Y	<input checked="" type="checkbox"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y	N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y	N	
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y	N	
PHOTO REQUIRED	Y	<input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y	N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y	N	<u>10054094</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y	N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>38</u> <u>9-89</u> <u>DAS</u> DATE: <u>OCT 27 2019</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M133450
DATE: 15-10-27

PO / BATCH NO.: M30480.750-2.500
PO# 30112

MATERIAL CERT REC'D: Yes
QUANTITY RECEIVED: 12 P
QUANTITY INSPECTED: 12 P
QUANTITY REJECTED: 0

THICKNESS ORDERED: 1.750X2.50
THICKNESS RECEIVED: 1.750X2.50
SHEET SIZE ORDERED: N/A
SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y N	
CORROSION	Y <input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y N	
CORRECT THICKNESS	<input checked="" type="radio"/> Y N	
PHOTO REQUIRED	Y <input checked="" type="radio"/> N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y N	<u>262800</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
<p>INSPECTED BY: <u>DAS 38 9-89</u></p> <p>DATE: <u>OCT 27 2015</u></p>	<p>SIGNED OFF BY: _____</p> <p>DATE: _____</p>

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO30112**

Purchase Order Date 10/14/2015

PO Print Date 10/14/2015

Page Number 1 of 2

Order From :
METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

PAID

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

USD

FOB

Destination-Collect

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M7075T6R3.500 ✓	7075 RD bar 3.500 ✓	10/30/2015 Yes 10/30/2015		6.00 ✓ f	\$64.25	\$385.50

MATERIAL: 7075-T6 OR T651/T6510/T6511/T652/T62 ROUND BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4124/4186/4187 OR
PER AMS-QQ-A-200/11

Line Total: \$385.50

2	M304B0.750X2.500 ✓	304 BAR .750 X 2.50	10/30/2015 Yes 10/30/2015		12.00 ✓ f	\$18.35	\$220.20
---	--------------------	---------------------	---------------------------------	--	--------------	---------	----------

MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE
AS PER ASTM A276 OR ASTM A240

NOTE: AISI 303 NOT ACCEPTABLE

Line Total: \$220.20

8/15/10-26

Note:

10/14/2015



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO30112**

Purchase Order Date 10/14/2015

PO Print Date 10/14/2015

Page Number 2 of 2

Order From :
METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency USD

FOB Destination-Collect

Chantal Lavoie

3	M303B2.000X1.750	303 BAR 2" X 1.750"	10/30/2015	12.00	\$113.00	\$1,356.00
			Yes	f		
			10/30/2015			

MATERIAL: AISI 303 SS BAR AS PER ASTM A582
NOTE: AISI 304/316 NOT ACCEPTABLE

Line Total: \$1,356.00

4	71401-45	PROCUREMENT QUALITY CLAUSES	10/30/2015	1.00	\$0.00	\$0.00
			No			
			10/30/2015			

Procurement Quality Clauses
A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality document

Line Total: \$0.00

PO Total: \$1,961.70

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 10/14/2015